



SUPREME
I M P O R T S


AUTUMN / WINTER

Offers 2020

**SEE OUR EXTENSIVE RANGE OF
LAMPS & FITTINGS OFFERS INSIDE**

Order Online at SupremeOffers.co.uk - 24hrs a Day, 7 Days a Week

*Terms and conditions apply, introductory offer only, while stocks last.



CONTENTS

2

EVEREADY
LED FLOODLIGHTS

4

ENERGIZER
FILAMENT RANGE

8

ENERGIZER
COLOUR CHANGING LAMPS

9

ENERGIZER
4 PACK PALLETS

10

ENERGIZER
15,000 HOUR LED LAMPS

13

ENERGIZER
2 PACK FSDU & CDU

14

ENERGIZER
SMART RANGE

15

EVEREADY
HALOGEN LAMPS

16

EVEREADY
LED LAMPS

22

JCB
4 PACK LED LAMPS

23

JCB
LED LAMPS

24

ENERGIZER
LED FLOODLIGHTS

25

ENERGIZER
STANDALONE SENSORS

26

ENERGIZER
LED PANEL FITTINGS

28

ENERGIZER
2-IN-1 SPIKE SPOTLIGHT

29

ENERGIZER
DECORATIVE PENDANTS

29

ENERGIZER
TV BACKLIGHTS

30

ENERGIZER
LED TUBES

31

POWERMASTER
BATTEN FITTINGS

33

POWERMASTER
OUTDOOR WALL LIGHTS

34

POWERMASTER
FIRE RATED DOWNLIGHTS

36

POWERMASTER
LED HIGHBAYS

38

POWERMASTER
LED FESTOON LIGHTS

39

POWERMASTER
LED FLOODLIGHTS

Energizer®

Smart Home Range

Coming Soon



Control At Your Fingertips

Our new range of Smart products enable you to control all aspects of your home lighting from your smart phone or tablet. You can also control any mains-powered appliance by using a Smart Plug.

For the full Smart range see Page 14



Energizer®

Filament LED Lamps Boxed

Uses
Up to **85%**
less energy*

FEATURES AND BENEFITS

- Easy Replacement • Even Light Distribution
- Flicker Free - IC Drivers • Automated Production

GLS

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE	PACK
S12859	4.2W	B22	310lm	2,200K	Vintage	✗	Box
S12860	4.2W	E27	310lm	2,200K	Vintage	✗	Box
S12862	4.3W (Eq40W)	B22	470lm	2,700K	Clear	✗	Box
S12849	4.3W (Eq40W)	B22	470lm	2,700K	Clear	✓	Box
S12863	4.3W (Eq40W)	E27	470lm	2,700K	Clear	✗	Box
S12850	4.3W (Eq40W)	E27	470lm	2,700K	Clear	✓	Box
S12864	6.2W (Eq60W)	B22	806lm	2,700K	Clear	✗	Box
S12851	7.2W (Eq60W)	B22	806lm	2,700K	Clear	✓	Box
S12865	6.2W (Eq60W)	E27	806lm	2,700K	Clear	✗	Box
S12852	7.2W (Eq60W)	E27	806lm	2,700K	Clear	✓	Box
S12857	11W (Eq75W)	B22	1060lm	2,700K	Clear	✗	Box
S12858	11W (Eq75W)	E27	1060lm	2,700K	Clear	✗	Box

CANDLE

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE	PACK
S12861	2.6W	E14	150lm	2,200K	Vintage	✗	Box
S12866	2.4W (Eq25W)	B22	250lm	2,700K	Clear	✗	Box
S12867	2.4W (Eq25W)	E14	250lm	2,700K	Clear	✗	Box
S12868	4W (Eq40W)	B22	470lm	2,700K	Clear	✗	Box
S12855	5W (Eq40W)	B22	470lm	2,700K	Clear	✓	Box
S12869	4W (Eq40W)	E14	470lm	2,700K	Clear	✗	Box
S12856	5W (Eq40W)	E14	470lm	2,700K	Clear	✓	Box
S12870	4W (Eq40W)	E27	470lm	2,700K	Clear	✗	Box

* Vs Incandescent Lamp

Energizer®

Filament LED Lamps Blister Packs

G9 2 PACK

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE	PACK
S13013	2W (Eq20W)	G9	210lm	3,000K	Clear	✗	Blister
S13014	2W (Eq20W)	G9	220lm	6,500K	Clear	✗	Blister

GLS

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE	PACK
S9429	4.2W	B22	310lm	2,200K	Vintage	✗	Blister
S9430	4.2W	E27	310lm	2,200K	Vintage	✗	Blister
S9023	4.3W (Eq40W)	B22	470lm	2,700K	Clear	✗	Blister
S9024	4.3W (Eq40W)	E27	470lm	2,700K	Clear	✗	Blister
S9025	6.2W (Eq60W)	B22	806lm	2,700K	Clear	✗	Blister
S9026	6.2W (Eq60W)	E27	806lm	2,700K	Clear	✗	Blister

GOLF

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE	PACK
S9032	4W (Eq40W)	B22	470lm	2,700K	Clear	✗	Blister
S9033	4W (Eq40W)	E14	470lm	2,700K	Clear	✗	Blister

CANDLE

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE	PACK
S9431	2.6W	E14	150lm	2,200K	Vintage	✗	Blister
S9027	2.4W (Eq25W)	B22	250lm	2,700K	Clear	✗	Blister
S9028	2.4W (Eq25W)	E14	250lm	2,700K	Clear	✗	Blister
S9029	4W (Eq40W)	B22	470lm	2,700K	Clear	✗	Blister
S9030	4W (Eq40W)	E14	470lm	2,700K	Clear	✗	Blister
S9031	4W (Eq40W)	E27	470lm	2,700K	Clear	✗	Blister

Energizer®

Filament LED Lamps

BENT TIP CANDLE

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE	PACK
S12853	2.4W (Eq25W)	B22	250lm	2,700K	Clear	X	Box
S12854	2.4W (Eq25W)	E14	250lm	2,700K	Clear	X	Box

ST64

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE	PACK
S9432	4W	B22	470lm	2,200K	Vintage	X	Box
S9433	4W	E27	470lm	2,200K	Vintage	X	Box

GOLF / G95 / G125

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE	PACK
S9434 (G95)	5.2W	E27	300lm	2,200K	Vintage	X	Box
S9435 (G125)	5.2W	E27	300lm	2,200K	Vintage	X	Box
S12871	4W (Eq40W)	B22	470lm	2,700K	Clear	X	Box
S12872	4W (Eq40W)	E14	470lm	2,700K	Clear	X	Box

Energizer®

Cookerhood & Pygmy Filament Lamp 2 Packs



PYGMY 2 PACK

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE	PACK
S13562	2W (Eq20W)	E14	240lm	3,000K	Clear	X	Blister

COOKERHOOD 2 PACK

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE	PACK
S13564	3.8W (Eq35W)	E14	420lm	3,000K	Clear	X	Blister

Boxed Versions Also Available

PYGMY

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE	PACK
S13561	2W (Eq20W)	E14	240lm	3,000K	Clear	X	Box

COOKERHOOD

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE	PACK
S13563	3.8W (Eq35W)	E14	420lm	3,000K	Clear	X	Box

Energizer®

Colour Changing LED Lamps



- RGBW + 4000k
- Dimmable
- For Indoor Use: -20 - 40°C
- 220 - 240V
- Colour Changing
- A Choice of 15 Colours
- 5 Intensity Settings
- Remote Included



S-CODE	WATTAGE	CAP	LUMEN	FINISH	DIMMABLE	PACK
S14542	9W (Eq60W)	E27	806lm	White	✓	Blister
S14543	9W (Eq60W)	B22	806lm	White	✓	Blister
S14544	4.5W (Eq35W)	GU10	250lm	White	✓	Blister



Energizer®

NEW 4 Packs Available in Trays or Pallets



15,000 HOUR GU10 4 PACKS

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE	BOXES PER PALLET
S14425	5W (Eq50W)	GU10	375lm	3,000K	White	✗	504
S14426	5W (Eq50W)	GU10	375lm	6,500K	White	✗	504



15,000 HOUR GLS 4 PACKS

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE	BOXES PER PALLET
S14056	9W (Eq60W)	B22	806lm	3,000K	White	✗	384
S14057	9W (Eq60W)	E27	806lm	4,000K	White	✗	384
S14062	9W (Eq60W)	B22	806lm	6,500K	White	✗	384
S14423	15W (Eq60W)	B22	1500lm	6,500K	White	✗	384
S14424	15W (Eq60W)	E27	1500lm	6,500K	White	✗	384



15,000 HOUR CANDLE 4 PACKS

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE	BOXES PER PALLET
S14330	6W (Eq40W)	E14	470lm	3,000K	White	✗	720
S14331	6W (Eq40W)	B22	470lm	4,000K	White	✗	720

Energizer®

15,000 Hour LED Lamps

15,000 HOUR DIMMABLE GU10 4 PACKS

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S10327	5.2W (Eq50W)	GU10	380lm	3,000K	White	✓
S10328	5.2W (Eq50W)	GU10	380lm	4,000K	White	✓
S10329	5.2W (Eq50W)	GU10	390lm	6,500K	White	✓

15,000 HOUR GU10

BOXED	BLISTER	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S8821	S8689	3.6W (Eq35W)	GU10	245lm	3,000K	White	✗
S8822	S8911	3.6W (Eq35W)	GU10	245lm	4,000K	White	✗
S8823	S8824	5W (Eq50W)	GU10	355lm	3,000K	White	✗
S8825	S8690	5W (Eq50W)	GU10	370lm	4,000K	White	✗
S9403	S9404	5W (Eq50W)	GU10	370lm	6,500K	White	✗
S8826	S8691	5.5W (Eq50W)	GU10	345lm	3,000K	White	✓
S8827	S8828	5.5W (Eq50W)	GU10	360lm	4000K	White	✓
S9408	-	5W (Eq50W)	GU10	350lm	3,000K	Glass	✗
S9409	-	5W (Eq50W)	GU10	370lm	4,000K	Glass	✗
S9410	-	5.5W (Eq50W)	GU10	345lm	3,000K	Glass	✓
S9411	-	5.5W (Eq50W)	GU10	360lm	4,000K	Glass	✓
S9405	-	5.8W (Eq60W)	GU10	480lm	3,000K	White	✗
S9406	-	5.8W (Eq60W)	GU10	560lm	4,000K	White	✗
S9407	-	5.8W (Eq60W)	GU10	560lm	6,500K	White	✗

15,000 HOUR GOLF

BOXED	BLISTER	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S8834	S8835	3.4W (Eq25W)	B22	250lm	2,700K	Opal	✗
S8836	S8693	3.4W (Eq25W)	E27	250lm	2,700K	Opal	✗
S8837	S8694	3.4W (Eq25W)	E14	250lm	2,700K	Opal	✗
S8838	S8695	5.9W (Eq40W)	B22	470lm	2,700K	Opal	✗
S9412	S9413	5.9W (Eq40W)	B22	520lm	6,500K	Opal	✗
S13570	S8909	5.9W (Eq40W)	B15	470lm	2,700K	Opal	✗
S13571	-	5.9W (Eq40W)	B15	470lm	6,500K	Opal	✗
S8839	S8696	5.9W (Eq40W)	E27	470lm	2,700K	Opal	✗
S13572	-	5.9W (Eq40W)	E27	520lm	6,500K	Opal	✗
S8841	S8697	5.9W (Eq40W)	E14	470lm	2,700K	Opal	✗
-	S8842	6.2W (Eq40W)	E14	470lm	2,700K	Opal	✓
S9414	S9415	5.9W (Eq40W)	E14	520lm	6,500K	Opal	✗

15,000 HOUR MR16

BOXED	BLISTER	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S8832	S8692	4.8W (Eq35W)	MR16	360lm	3,000K	White	✗
S8833	-	4.8W (Eq35W)	MR16	360lm	4,000K	White	✗

15,000 HOUR GLS

BOXED	BLISTER	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S8857	S8702	5.6W (Eq40W)	B22	470lm	2,700K	Opal	✗
S13575	-	5.6W (Eq40W)	B22	520lm	6,500K	Opal	✗
S8859	S8703	5.6W (Eq40W)	E27	470lm	2,700K	Opal	✗
S13576	-	5.6W (Eq40W)	E27	520lm	6,500K	Opal	✗
S8862	S8704	9.2W (Eq60W)	B22	806lm	2,700K	Opal	✗
S9420	S10271	9.2W (Eq60W)	B22	806lm	2,700K	Opal	✓
S9421	S9422	9.2W (Eq60W)	B22	820lm	6,500K	Opal	✗
S8863	S8705	9.2W (Eq60W)	E27	806lm	2,700K	Opal	✗
S9423	S10272	9.2W (Eq60W)	E27	806lm	2,700K	Opal	✓
S8981	S9424	9.2W (Eq60W)	E27	820lm	6,500K	Opal	✗
S8864	S8883	11.6W (Eq75W)	B22	1,060lm	2,700K	Opal	✗
S9425	S9448	11.6W (Eq75W)	B22	1,100lm	6,500K	Opal	✗
S8706	S8884	11.6W (Eq75W)	E27	1,060lm	2,700K	Opal	✗
S9426	S9449	11.6W (Eq75W)	E27	1,100lm	6,500K	Opal	✗
S8865	S9452	12.5W (Eq100W)	B22	1,521lm	2,700K	Opal	✗
S9427	-	12.5W (Eq100W)	B22	1,560lm	6,500K	Opal	✗
S8707	S9022	12.5W (Eq100W)	E27	1,521lm	2,700K	Opal	✗
S9428	-	12.5W (Eq100W)	E27	1,560lm	6,500K	Opal	✗

Energizer®

15,000 Hour LED Lamps

15,000 HOUR CANDLE

BOXED	BLISTER	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S8843	S8844	3.4W (Eq25W)	B22	250lm	2,700K	Opal	X
S8845	S8698	3.4W (Eq25W)	E14	250lm	2,700K	Opal	X
S8846	-	3.4W (Eq25W)	B22	250lm	2,700K	Clear	X
S8847	-	3.4W (Eq25W)	E14	250lm	2,700K	Clear	X
S8850	S8699	5.9W (Eq40W)	B22	470lm	2,700K	Opal	X
S9416	S9417	5.9W (Eq40W)	B22	520lm	6,500K	Opal	X
S8852	S8903	5.9W (Eq40W)	B22	470lm	2,700K	Clear	X
S8854	S8910	6.2W (Eq40W)	B22	470lm	2,700K	Clear	✓
S8878	S8879	5.9W (Eq40W)	B15	470lm	2,700K	Opal	X
S13573	-	5.9W (Eq40W)	B15	520lm	6,500K	Opal	X
-	S8904	5.9W (Eq40W)	B15	470lm	2,700K	Clear	X
-	S8907	6.2W (Eq40W)	B15	470lm	2,700K	Clear	✓
S8880	S8881	5.9W (Eq40W)	E27	470lm	2,700K	Opal	X
S13574	-	5.9W (Eq40W)	E27	520lm	6,500K	Opal	X
S8882	S8905	5.9W (Eq40W)	E27	470lm	2,700K	Clear	X
-	S8906	6.2W (Eq40W)	E27	470lm	2,700K	Clear	✓
S8851	S8700	5.9W (Eq40W)	E14	470lm	2,700K	Opal	X
S9418	S9419	5.9W (Eq40W)	E14	520lm	6,500K	Opal	X
S8853	S8701	5.9W (Eq40W)	E14	470lm	2,700K	Clear	X
S8855	S8856	6.2W (Eq40W)	E14	470lm	2,700K	Clear	✓
S17355	S17356	7.3W (Eq60W)	B22	806lm	2,700K	Opal	X
S17361	S17362	7.3W (Eq60W)	B22	806lm	6,500K	Opal	X
S17357	S17358	7.3W (Eq60W)	E27	806lm	2,700K	Opal	X
S17363	S17364	7.3W (Eq60W)	E27	806lm	6,500K	Opal	X
S17359	S17360	7.3W (Eq60W)	E14	806lm	2,700K	Opal	X
S17365	S17366	7.3W (Eq60W)	E14	806lm	6,500K	Opal	X
S17382	S17383	7.3W (Eq60W)	B15	806lm	2,700K	Opal	X

Energizer®

Fully Loaded 2 Pack FSDU & CDU

Now In Stock

FSDU STOCK FILL

CODE	PACK QTY
S16705	98
S16706	140
S16707	140
S16709	60
S16710	60

CDU STOCK FILL

CODE	PACK QTY
S16705	8
S16706	11
S16708	9
S16709	7
S16710	7

FSDU
S16712

CDU
S16712

10,000 HOUR GU10 2 PACKS

BOXED	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S16705	4.2W (Eq25W)	GU10	345lm	2,700K	Opal	X

10,000 HOUR CANDLE 2 PACKS

BOXED	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S16706	5.2W (Eq25W)	E14	470lm	2,700K	Opal	X
S16707	5.2W (Eq25W)	B22	470lm	2,700K	Opal	X

10,000 HOUR GOLF 2 PACKS

BOXED	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S16708	5.2W (Eq25W)	E14	470lm	2,700K	Opal	X

10,000 HOUR GLS 2 PACKS

BOXED	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S16709	8.2W (Eq40W)	B22	806lm	2,700K	Opal	X
S16710	8.2W (Eq40W)	E27	806lm	2,700K	Opal	X

Energizer®



Coming Soon

Smart Home Range



CODE	DESCRIPTION	PACK QTY	BARCODE
S17161	SMART BC GLS 9W RGB CCT	12	5050028235170
S17162	SMART ES GLS 9W RGB CCT	12	5050028235187
S17163	SMART SES CDL 5W RGB CCT	12	5050028235194
S17350	SMART GU10 5W RGB CCT	12	5050028239093
S17164	SMART 5M FLEXI STRIP	12	5050028235200
S17165	SMART WIFI PLUG	12	5050028235217

Case Qty as Reference - Product Can Be Ordered in Single Units

ENERGIZER Smart Home Offers

- Group Control
- Voice Control
- Security & Convenience
- Kelvin Adjustable *
- Remote Access
- Scheduling
- Dimming *
- Colour Changing *

Plus many other smart features.



EVEREADY® HALOGEN LIGHTING COLLECTION



G4 & G9

BOXED	BLISTER	WATTAGE	CAP	DIMMABLE	ROUGH SERVICE EQV	PACK SIZE	
						BOX	BLISTER
S10109	S11850	14W (Eq20W)	G4	✓	-	1	2
S10110	S11851	33W (Eq40W)	G9	✓	-	1	2



MR16

BOXED	BLISTER	WATTAGE	CAP	DIMMABLE	ROUGH SERVICE EQV	PACK SIZE	
						BOX	BLISTER
S10111	S11852	40W (Eq50W)	MR16	✓	-	1	2



LINEAR

BOXED	BLISTER	WATTAGE	CAP	DIMMABLE	ROUGH SERVICE EQV	PACK SIZE	
						BOX	BLISTER
S10112	S11853	120W (Eq150W)	R7	✓	-	1	2
S10113	S11854	160W (Eq200W)	R7	✓	-	1	2
S10114	S11855	230W (Eq300W)	R7	✓	-	1	2
S10115	S11856	400W (Eq500W)	R7	✓	-	1	2

FREE Lighting Design Service Available

Please contact your local Supreme representative for more details or email your contact details to lightingdesigns@supreme.co.uk and we will be in touch.

LED LIGHTING COLLECTION

NEW

**4000K COOL WHITE RANGE
NOW AVAILABLE**



LED GU10

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S13598	3.1W (Eq35W)	GU10	235lm	3,000K	White	X
S14318	3.1W (Eq35W)	GU10	250lm	4,000K	White	X
S13599	3.1W (Eq35W)	GU10	250lm	6,500K	White	X
S13600	4.2W (Eq50W)	GU10	345lm	3,000K	White	X
S14319	4.2W (Eq50W)	GU10	370lm	4,000K	White	X
S13601	4.2W (Eq50W)	GU10	370lm	6,500K	White	X

LED GOLF

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S13602	5.2W (Eq40W)	B22	470lm	3,000K	Opal	X
S14320	5.2W (Eq40W)	B22	480lm	4,000K	Opal	X
S13603	5.2W (Eq40W)	B22	480lm	6,500K	Opal	X
S13604	5.2W (Eq40W)	B15	470lm	3,000K	Opal	X
S13605	5.2W (Eq40W)	B15	480lm	6,500K	Opal	X
S13606	5.2W (Eq40W)	E27	470lm	3,000K	Opal	X
S13607	5.2W (Eq40W)	E27	480lm	6,500K	Opal	X
S13608	5.2W (Eq40W)	E14	470lm	3,000K	Opal	X
S14321	5.2W (Eq40W)	E14	480lm	4,000K	Opal	X
S13609	5.2W (Eq40W)	E14	480lm	6,500K	Opal	X

LED CANDLE

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S13610	5.2W (Eq40W)	B22	470lm	3,000K	Opal	X
S14322	5.2W (Eq40W)	B22	480lm	4,000K	Opal	X
S13611	5.2W (Eq40W)	B22	480lm	6,500K	Opal	X
S13612	5.2W (Eq40W)	B15	470lm	3,000K	Opal	X
S14323	5.2W (Eq40W)	B15	480lm	4,000K	Opal	X
S13613	5.2W (Eq40W)	B15	480lm	6,500K	Opal	X
S13614	5.2W (Eq40W)	E27	470lm	3,000K	Opal	X
S14324	5.2W (Eq40W)	E27	480lm	4,000K	Opal	X
S13615	5.2W (Eq40W)	E27	480lm	6,500K	Opal	X
S13616	5.2W (Eq40W)	E14	470lm	3,000K	Opal	X
S14325	5.2W (Eq40W)	E14	480lm	4,000K	Opal	X
S13617	5.2W (Eq40W)	E14	480lm	6,500K	Opal	X
S17375	7.3W (Eq60W)	B22	806lm	3,000K	Opal	X
S17378	7.3W (Eq60W)	B22	806lm	6,500K	Opal	X
S17381	7.3W (Eq60W)	B15	806lm	3,000K	Opal	X
S17376	7.3W (Eq60W)	E27	806lm	3,000K	Opal	X
S17379	7.3W (Eq60W)	E27	806lm	6,500K	Opal	X
S17377	7.3W (Eq60W)	E14	806lm	3,000K	Opal	X
S17380	7.3W (Eq60W)	E14	806lm	6,500K	Opal	X

LED GLS

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S13618	5.5W (Eq40W)	B22	470lm	3,000K	Opal	X
S14312	5.5W (Eq40W)	B22	480lm	4,000K	Opal	X
S13619	5.5W (Eq40W)	B22	480lm	6,500K	Opal	X
S13620	5.5W (Eq40W)	E27	470lm	3,000K	Opal	X
S14313	5.5W (Eq40W)	E27	480lm	4,000K	Opal	X
S13621	5.5W (Eq40W)	E27	480lm	6,500K	Opal	X
S13622	8.2W (Eq60W)	B22	806lm	3,000K	Opal	X
S14314	8.2W (Eq60W)	B22	820lm	4,000K	Opal	X
S13623	8.2W (Eq60W)	B22	820lm	6,500K	Opal	X
S13624	8.2W (Eq60W)	E27	806lm	3,000K	Opal	X
S14315	8.2W (Eq60W)	E27	820lm	4,000K	Opal	X
S13625	8.2W (Eq60W)	E27	820lm	6,500K	Opal	X
S13626	13.2W (Eq100W)	B22	1,521lm	3,000K	Opal	X
S14316	13.2W (Eq100W)	B22	1,560lm	4,000K	Opal	X
S13627	13.2W (Eq100W)	B22	1,560lm	6,500K	Opal	X
S13628	13.2W (Eq100W)	E27	1,521lm	3,000K	Opal	X
S14317	13.2W (Eq100W)	E27	1,560lm	4,000K	Opal	X
S13629	13.2W (Eq100W)	E27	1,560lm	6,500K	Opal	X

LED REFLECTOR

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S13630	R39 4W (Eq30W)	E14	320lm	3,000K	Opal	X
S13631	R50 6.2W (Eq40W)	E14	470lm	3,000K	Opal	X
S13632	R63 7.8W (Eq50W)	E27	630lm	3,000K	Opal	X
S13633	R80 10.5W (Eq60W)	E27	806lm	3,000K	Opal	X

EVEREADY®

LED 2 PACKS NOW AVAILABLE



LED CANDLE

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S15297	5.2W (Eq40W)	B22	470lm	3,000K	Opal	X
S15298	5.2W (Eq40W)	B22	480lm	6,500K	Opal	X
S15334	5.2W (Eq40W)	B15	470lm	3,000K	Opal	X
S15335	5.2W (Eq40W)	E27	470lm	3,000K	Opal	X
S15299	5.2W (Eq40W)	E14	470lm	3,000K	Opal	X
S15300	5.2W (Eq40W)	E14	480lm	6,500K	Opal	X



LED GU10

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S15289	3.1W (Eq35W)	GU10	250lm	3,000K	White	X
S15290	3.1W (Eq35W)	GU10	250lm	6,500K	White	X
S15291	4.2W (Eq50W)	GU10	370lm	3,000K	White	X
S15292	4.2W (Eq50W)	GU10	370lm	6,500K	White	X



LED GLS

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S15301	8.2W (Eq60W)	B22	806lm	3,000K	Opal	X
S15302	8.2W (Eq60W)	B22	820lm	6,500K	Opal	X
S15303	8.2W (Eq60W)	E27	806lm	3,000K	Opal	X
S15304	8.2W (Eq60W)	E27	820lm	6,500K	Opal	X
S15305	13.2W (Eq100W)	B22	1521lm	3,000K	Opal	X
S15306	13.2W (Eq100W)	B22	1560lm	6,500K	Opal	X
S15307	13.2W (Eq100W)	E27	1521lm	3,000K	Opal	X
S15308	13.2W (Eq100W)	E27	1560lm	6,500K	Opal	X



LED GOLF

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S15293	5.2W (Eq40W)	B22	470lm	3,000K	Opal	X
S15294	5.2W (Eq40W)	B22	480lm	6,500K	Opal	X
S15333	5.2W (Eq40W)	E27	470lm	3,000K	Opal	X
S15295	5.2W (Eq40W)	E14	470lm	3,000K	Opal	X
S15296	5.2W (Eq40W)	E14	480lm	6,500K	Opal	X



LED REFLECTOR

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S15336	R50 6.2W (Eq40W)	E14	470lm	3,000K	Opal	X

EVEREADY®

LED FILAMENT LAMPS

EVEREADY®

ALSO AVAILABLE IN 2 PACKS



S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
CANDLE						
S15475	4W (Eq40W)	B22	470lm	2,700K	Clear	X
S15476	4W (Eq40W)	B15	470lm	2,700K	Clear	X
S15477	4W (Eq40W)	E27	470lm	2,700K	Clear	X
S15478	4W (Eq40W)	E14	470lm	2,700K	Clear	X
GOLF						
S15479	4W (Eq40W)	B22	470lm	2,700K	Clear	X
S15480	4W (Eq40W)	B15	470lm	2,700K	Clear	X
S15481	4W (Eq40W)	E27	470lm	2,700K	Clear	X
S15482	4W (Eq40W)	E14	470lm	2,700K	Clear	X
GLS						
S15483	4W (Eq40W)	B22	470lm	2,700K	Clear	X
S15484	4W (Eq40W)	E27	470lm	2,700K	Clear	X
S15485	6.5W (Eq60W)	B22	806lm	2,700K	Clear	X
S15486	6.5W (Eq60W)	E27	806lm	2,700K	Clear	X
S15487	8.5W (Eq75W)	B22	1050lm	2,700K	Clear	X
S15488	8.5W (Eq75W)	E27	1050lm	2,700K	Clear	X

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
CANDLE						
S17394	4W (Eq40W)	B22	470lm	2,700K	Clear	X
S17395	4W (Eq40W)	B15	470lm	2,700K	Clear	X
S17396	4W (Eq40W)	E27	470lm	2,700K	Clear	X
S17397	4W (Eq40W)	E14	470lm	2,700K	Clear	X
GOLF						
S17398	4W (Eq40W)	B22	470lm	2,700K	Clear	X
S17399	4W (Eq40W)	E27	470lm	2,700K	Clear	X
S17400	4W (Eq40W)	E14	470lm	2,700K	Clear	X
GLS						
S17401	6.5W (Eq60W)	B22	806lm	2,700K	Clear	X
S17402	6.5W (Eq60W)	E27	806lm	2,700K	Clear	X



POWERFUL • RELIABLE • INNOVATIVE



NEW

JCB LED 4 PACKS NOW AVAILABLE

LED GU10

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S15147	5W (Eq50W)	GU10	350lm	3,000K	White	X

LED CANDLE

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S15145	6W (Eq40W)	B22	470lm	3,000K	White	X
S15146	6W (Eq40W)	E14	470lm	3,000K	White	X

LED GLS

S-CODE	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
S15144	9W (Eq60W)	E27	806lm	3,000K	White	X
S15143	9W (Eq60W)	B22	806lm	3,000K	White	X

JCB LED LAMPS

BOXED	BLISTER	WATTAGE	CAP	LUMEN	KELVIN	FINISH	DIMMABLE
GU10							
S10961	-	3W (Eq35W)	GU10	235lm	3,000K	White	X
S12498	-	3W (Eq35W)	GU10	250lm	4,000K	White	X
S10962	-	3W (Eq35W)	GU10	250lm	6,500K	White	X
S10963	S10965	5W (Eq50W)	GU10	350lm	3,000K	White	X
S12499	-	5W (Eq50W)	GU10	370lm	4,000K	White	X
S10964	S10966	5W (Eq50W)	GU10	370lm	6,500K	White	X
GLS							
S10987	-	6W (Eq40W)	B22	470lm	2,700K	Opal	X
S13569	-	6W (Eq40W)	B22	520lm	6,500K	Opal	X
S10986	-	6W (Eq40W)	E27	470lm	2,700K	Opal	X
S13568	-	6W (Eq40W)	E27	520lm	6,500K	Opal	X
S10989	S10992	10W (Eq60W)	B22	806lm	2,700K	Opal	X
S12505	-	10W (Eq60W)	B22	806lm	4,000K	Opal	X
S10991	-	10W (Eq60W)	B22	806lm	6,500K	Opal	X
S10988	S10993	10W (Eq60W)	E27	806lm	2,700K	Opal	X
S12504	-	10W (Eq60W)	E27	806lm	4,000K	Opal	X
S10990	-	10W (Eq60W)	E27	806lm	6,500K	Opal	X
S10995	-	15W (Eq100W)	B22	1,520lm	2,700K	Opal	X
S12507	-	15W (Eq100W)	B22	1,530lm	4,000K	Opal	X
S10997	-	15W (Eq100W)	B22	1,560lm	6,500K	Opal	X
S10994	-	15W (Eq100W)	E27	1,520lm	2,700K	Opal	X
S12506	-	15W (Eq100W)	E27	1,530lm	4,000K	Opal	X
S10996	-	15W (Eq100W)	E27	1,560lm	6,500K	Opal	X
GOLF							
S10967	-	3W (Eq25W)	B22	250lm	3,000K	Opal	X
S10968	-	3W (Eq25W)	E14	250lm	3,000K	Opal	X
S10969	S10974	6W (Eq40W)	B22	470lm	3,000K	Opal	X
S12500	-	6W (Eq40W)	B22	520lm	4,000K	Opal	X
S10970	-	6W (Eq40W)	B22	520lm	6,500K	Opal	X
S13565	-	6W (Eq40W)	B15	470lm	3,000K	Opal	X
S13566	-	6W (Eq40W)	B15	520lm	6,500K	Opal	X
S10973	-	6W (Eq40W)	E27	470lm	3,000K	Opal	X
S10971	S10975	6W (Eq40W)	E14	470lm	3,000K	Opal	X
S12501	-	6W (Eq40W)	E14	520lm	4,000K	Opal	X
S10972	-	6W (Eq40W)	E14	520lm	6,500K	Opal	X
CANDLE							
S10976	-	3W (Eq25W)	B22	250lm	3,000K	Opal	X
S10977	-	3W (Eq25W)	E14	250lm	3,000K	Opal	X
S10978	S10984	6W (Eq40W)	B22	470lm	3,000K	Opal	X
S12502	-	6W (Eq40W)	B22	520lm	4,000K	Opal	X
S10979	-	6W (Eq40W)	B22	520lm	6,500K	Opal	X
S10980	-	6W (Eq40W)	B15	470lm	3,000K	Opal	X
S13567	-	6W (Eq40W)	B15	520lm	6,500K	Opal	X
S10983	-	6W (Eq40W)	E27	470lm	3,000K	Opal	X
S10981	S10985	6W (Eq40W)	E14	470lm	3,000K	Opal	X
S12503	-	6W (Eq40W)	E14	470lm	4,000K	Opal	X
S10982	-	6W (Eq40W)	E14	520lm	6,500K	Opal	X

Energizer®


Floodlights

Features and Benefits

- Aluminium Heat Sync
- Prismatic Diffuser
- IP65
- 90/100 Lumens Per Watt
- 6,500K
- Quick Fix Angled Bracket



Inset Image 100W LED Floodlight




S-CODE	PRODUCT	QTY
S10927	10W - 900lm	12
S10929	20W - 1,800lm	12
S10931	30W - 2,500lm	12
S10933	50W - 4,500lm	6
S13150	70W - 6,300lm	6
S14520	100W - 10,000lm	6

PIR Floodlights

Features and Benefits

- Aluminium Heat Sync
- Prismatic Diffuser
- IP44
- 90 Lumens Per Watt
- 6,500K
- Quick Fix Angled Bracket
- PIR Range: up to 8m
- Angle Range: 120°
- PIR Operation: Up to 7 min
- Manual Override



S-CODE	PRODUCT	QTY
S10928	10W - 900lm	12
S10930	20W - 1,800lm	12
S10932	30W - 2,500lm	12
S10934	50W - 4,500lm	6

Energizer®

Photocell & Sensors

Photocell

- IP54
- Clear Lens
- Ambient Light 5~45 Lux
- Pre-set 15-30 Sec Delay to Avoid False Trigger
- Max Loading Capacity 1,000W



S-CODE	QTY
S13385	50



Adjustable Photocell

- IP44 - Indoor / Outdoor Use
- Suitable for Zones 1, 2 & 3
- Adjustable Lux: 30~300 Lux
- Operation: On, Off & Auto
- Time On: 4 / 6 / 8 / 12hrs
- Manual Override

S-CODE	QTY
S12969	6



White Version
Now Available
S14661



Adjustable PIR Sensor

- IP44 - Indoor / Outdoor Use
- Suitable for Zones 1, 2 & 3
- Adjustable Lux: 10~2,000 Lux
- PIR Range: Up to 12m
- PIR Angle: 180°
- Vertical Movement: 90°
- Time On: 10sec - 7mins


S-CODE	FINISH	QTY
S12970	Black	50
S14661	White	50



Adjustable Large PIR Sensor

- IP44 - Indoor / Outdoor Use
- Suitable for Zones 1, 2 & 3
- PIR Range: Up to 12m
- PIR Angle: 180°
- Vertical Movement: 90°
- Horizontal Movement: 140°
- Time On: 5sec - 7mins

S-CODE	FINISH	QTY
S13291	Black	50
S14662	White	50



White Version
Now Available
S14662



Panel Fittings



Emergency Driver Now Available For Use With S9948 Only


Features & Benefits

- Retrofit Panels
- Recessed Installation
- 25,000 Hours
- Cool White 4,000K
- Opal Diffuser
- Quick & Easy Installation

S-CODE	PRODUCT	WATTAGE	LUMENS PER WATT	LUMEN	KELVIN	QTY
SQUARE PANEL FITTING						
S9948	LED 600 x 600mm Panel Fitting	40W	82.5	3,300lm	4,000K	6
EMERGENCY DRIVER						
S14050	Emergency LED Driver	-	-	-	-	-
CIRCULAR PANEL FITTINGS						
S10064	LED 225mm Circular Panel Fitting	18W	72	1,300lm	4,000K	10



TPa Rated Backlit LED Panel



SPECIFICATION
36W Watt
100 Lumens per Watt
3600 Lumens
Cool White 4000K
IP20
Working Temperature: -20 to +40*
Flicker Free Driver
PMMA Lens Material
TPa Flammability Rated
Input Voltage 220-240V / 50/60Hz
UGR <19*
Beam Angle: 90°*
SAMSUNG LED Chips 2835
SDCM <6%
CRI >80
THD <20%
PF 0.9
70cm Trail Lead (50cm to Driver & 20cm to Mains)
2-Pole Screwless Quick Connector
Dimensions: 595(h) x 595(w) x 32mm(d)*

* Approximate measurements

CODE	DESCRIPTION	PACK QTY	BARCODE
S16769	TPa Backlit LED Panel	6	5050028225034

Case Qty as Reference - Product Can Be Ordered in Single Units

FREE Lighting Design Service Available Please contact your local Supreme representative for more details or email your contact details to lightingdesigns@supreme.co.uk and we will be in touch.



Energizer®

2-IN-1 Surface Mount Deck or Spike Spotlight

Features & Benefits

- Polycarbonate Construction
- Non Corrosive – Ideal for Outdoors & Coastal Areas
- IP65 Rated
- Pre Wired for Quick & Simple Installation
- Hard Surface Base or Spike Mounting Options
- For Use with LED GU10 Lamps
- Cable Length – 50cm
- Mains Voltage - 220~240v
- UV Resistant
- Lamp NOT Supplied
- Product Dims – see below
- Spike Included



S-CODE	PRODUCT	QTY
S14341	Energizer 2-in-1 Surface Mount, Deck or Spike Spotlight	6

Energizer®

Decorative Pendants



- Assorted Finishes Available
- Available in Black, Chrome, Gun Metal, Copper, Antique Brass & Brushed Chrome
- IP20
- Suitable for Zone 3 (Indoor Use Only)
- Class I
- 220-240V
- Lampholder (Dims): H:85 x Dia: 50mm
- Base Plate (Dims): H:17 x Dia:100mm
- 1.2m Cable Length (Adjustable)
- ES/E27 Lampholder

S-CODE	PRODUCT DESCRIPTION	QTY
S14678	120cm Adjustable Pendant - Black	40
S14679	120cm Adjustable Pendant - Chrome	40
S14680	120cm Adjustable Pendant - Gun Metal	40
S14681	120cm Adjustable Pendant - Copper	40
S14682	120cm Adjustable Pendant - Antique Brass	40
S14683	120cm Adjustable Pendant - Brushed Chrome	40



TV Mood Light

- 2 x 50cm Strips
- Colour Changing* or White
- In-Line Control
- USB Connection
- Alleviates Eye Strain
- 21 Light Modes
- 20 Different Colours*
- 5 Brightness Levels
- 5 Different Speed Settings
- Cut to Size LED Strip - 5cm Intervals
- Non Linkable
- IP65 Rated Strip
- 1.2m Lead Cable
- Plug & Play Simplicity
- 3M™ Adhesive Strip Installation



S-CODE	PRODUCT	Qty
S10384	Energizer White TV Mood Light	20
S10385	Energizer Multi Colour TV Mood Light	20


*S10385 Only

**New
Improved
Pricing**

Uses
Up to **60%**
less energy*

Features and Benefits

- Easy Replacement
- Flicker Free Design and Even Light Distribution
- Full Toughened Safety Glass
 - PF>0.9
 - 100 LM/W
- Automated production
- Flicker Free - IC Drivers
- LED Starter Included



S-CODE	LENGTH	WATTAGE	CAP	LUMEN	KELVIN	DIMMABLE	CASE QTY
S9912	0.6m (2ft)	9W (Eq18W)	G13	900lm	4,000K	X	12
S9913	0.6m (2ft)	9W (Eq18W)	G13	900lm	6,500K	X	12
S8912	1.2m (4ft)	18W (Eq36W)	G13	1,800lm	4,000K	X	12
S8914	1.2m (4ft)	18W (Eq36W)	G13	1,800lm	6,500K	X	12
S8913	1.5m (5ft)	22W (Eq58W)	G13	2,260lm	4,000K	X	12
S8915	1.5m (5ft)	22W (Eq58W)	G13	2,260lm	6,500K	X	12
S9914	1.8m (6ft)	30W (Eq72W)	G13	3,000lm	4,000K	X	12
S9915	1.8m (6ft)	30W (Eq72W)	G13	3,000lm	6,500K	X	12

* Vs Incandescent Tubes

Single Batten Fittings

- Iron
- White
- T8 Tube
- 240V
- LED Suitable Batten Fittings
- Single End Connection
- Tube Not Supplied

S-CODE	PRODUCT	CASE
S9485	60cm (2ft) T8 Single	20
S8989	120cm (4ft) T8 Single	12
S8990	150cm (5ft) T8 Single	12
S9486	180cm (6ft) T8 Single	12

Twin Batten Fittings

- Iron
- White
- T8 Tube
- 240V
- LED Suitable Batten Fittings
- Single End Connection
- Tube Not Supplied

S-CODE	PRODUCT	CASE
S9488	120cm (4ft) T8 Twin	12
S9489	150cm (5ft) T8 Twin	12
S9490	180cm (6ft) T8 Twin	12

Single IP65 Tri Proof Batten Fittings

- ABS Base & Clips
- PC Diffusers
- T8 Tube
- 240V
- IP65
- Tri Proof
- LED Suitable Batten Fittings
- Single End Connection
- Tube Not Supplied

S-CODE	PRODUCT	CASE
S9491	120cm (4ft) T8 Single	12
S9493	150cm (5ft) T8 Single	12
S9495	180cm (6ft) T8 Single	8

Twin IP65 Tri Proof Batten Fittings

- ABS Base & Clips
- PC Diffusers
- T8 Tube
- 240V
- IP65
- Tri Proof
- LED Suitable Batten Fittings
- Single End Connection
- Tube Not Supplied

S-CODE	PRODUCT	CASE
S9492	120cm (4ft) T8 Twin	8
S9494	150cm (5ft) T8 Twin	8
S9496	180cm (6ft) T8 Twin	6

IP20 LED Battens

- Aluminium Body
- White
- IP20
- 220-240V
- LED Suitable Batten
- Slimline design
- Retrofit & Easy to Install

S-CODE	PRODUCT	CASE
S15075	IP20 18W LED Batten 60cm (2ft)	20
S15076	IP20 36W LED Batten 120cm (4ft)	20
S15077	IP20 45W LED Batten 150cm (5ft)	20
S15078	IP20 60W LED Batten 180cm (6ft)	20

S-CODE	PRODUCT	CASE
S15400	LED IP20 Batten 4ft Single 4000k - 20w	10
S15401	LED IP20 Batten 4ft Twin 4000k - 40w	10
S15402	LED IP20 Emergency Batten 4ft Single 4000k - 20w	10
S15403	LED IP20 Emergency Batten 4ft Twin 4000k - 40w	10
S15404	LED IP20 Batten 5ft Single 4000k - 30w	8
S15405	LED IP20 Batten 5ft Twin 4000k - 60w	8
S15406	LED IP20 Emergency Batten 5ft Single 4000K - 30w	8
S15407	LED IP20 Emergency Batten 5ft Twin 4000K - 60w	8
S15408	LED IP20 Batten 6ft Single 4000k - 40w	6
S15409	LED IP20 Batten 6ft Twin 4000k - 65w	6
S15410	LED IP20 Emergency Batten 6ft Single 4000k - 40w	6
S15411	LED IP20 Emergency Batten 6ft Twin 4000k - 65w	6

Screwless Hinged LED Battens

- Batten/Emergency Batten
- White Steel Housing
- Single or Twin Option
- 220-240V/50-60Hz
- Aluminium PCB Heat Sink
- Screwless Hinged Bracket



Copper & Stainless Steel Twin Wall Spotlights

- IP44
- Stainless Steel
- Clear Tempered Glass
- Dual Illumination Light
- 240V

PIR Version Features

- Motion Sensor PIR
- 90° PIR
- Pulsed Manual Override (PMO)

S-CODE	PRODUCT	QTY
S14048	Twin Wall Spotlight - Copper	8
S6831	Twin Wall Spotlight - Stainless Steel	8
S14049	PIR Twin Wall Spotlight - Copper	8
S8163	PIR Twin Wall Spotlight - Stainless Steel	8



S14048
£8.98


STAINLESS STEEL
ALSO AVAILABLE



LED Polycarbonate Bulkheads

- Polypropylene Base
- Polycarbonate Diffuser
- 7W/10W SMD LED
- Daylight - 6,400K
- 240V
- IP65

S-CODE	PRODUCT	QTY
S13019	LED Polycarbonate Bulkhead - 7W	12
S8250	LED Polycarbonate Bulkhead - 10W	10



ORIGINAL NON LED
VERSION - S6354




IP65 & Fire Rated Dimmable LED Downlight



- 5.5W
- 100 Lumens per Watt
- 550 lumen
- Fire Rated: 30, 60 & 90 Minute
- IP65 – Suitable for zones 1, 2 & 3
- Integrated SMD LED
- CRI - >80
- Voltage: 220-240V
- Beam Angle: 60 Degree*
- Dimmable
- Quick Fit Terminal Connector
- Loop in Loop Out Wiring
- Wide Range Cut Out: 56mm to 74mm*
- Flicker Free
- Detachable Driver Suitable for Low Ceiling
- 5 yr Guarantee
- 25,000 Hour Warranty
- Dimensions (mm): Ø84 x 55*

* Approximate Measurement



CODE	DESCRIPTION	CASE QTY
S15343	5.5w IP65 & Fire Rated with White Bezel – 3000k	12
S15344	5.5w IP65 & Fire Rated with White Bezel – 4000k	12
S15345	Clip on Chrome Bezel	12
S15346	Clip on Brushed Chrome Bezel	12

Case Qty as reference - Product can be ordered in single units

Fire Rated Tilt Downlight



- Fire Rated: 30, 60 & 90 minutes
- Gimbal Function Adjustable Tilt
- Screwless Block & Cable Grip for Quick Installation
- Pressed Steel
- For Indoor Use Only
- Suitable for Use With a Dimmer**
- Not suitable for Zones 1 and 2
- Class 1
- Acoustic Part E
- 220 - 240V
- Dimensions (mm): Ø 86 x 118*
+ Wiring Mount Bracket

* Approximate measurement



S-CODE	PRODUCT	CASE QTY
S12929	Fire Rated Tilt Downlight - White	40
S12930	Fire Rated Tilt Downlight - Chrome	40
S12931	Fire Rated Tilt Downlight - Brushed	40

Case Qty as reference - Product can be ordered in single units

UFO Dimmable LED Highbays



- IP65
- Lumens per Watt: 130
- Beam Angle: 120°*
- Colour Temperature: 5700K
- Wide Input Voltage: 100 - 277V
- Power Factor: 0.93
- Working Temp: -30°C to +50°C
- CRI - RA80
- 50,000 Hours
- Dimmable
- Flicker Free
- Aluminium Heat Sync
- Samsung SMD LED Chips
- Lifud Driver
- Built in Potentiometer to control Power and Lumens

* Approximate Measurement



Fully tested and certified by LIA LABS

CODE	DESCRIPTION	CASE QTY	BARCODE
S15450	UFO Dimmable High Bay - 100w	1	5050028209232
S15451	UFO Dimmable High Bay - 150w	1	5050028209249
S15452	UFO Dimmable High Bay - 200w	1	5050028209356
S15453	UFO High Bay - Reflector 60°	20	5050028209263
S15454	UFO High Bay - Reflector 90°	20	5050028209270
S15455	UFO High Bay - IP65 Sensor	10	5050028209287
S15456	UFO High Bay - Bracket	10	5050028209294

Case Qty as Reference - Product Can Be Ordered in Single Units

FREE lighting Design Service Available

Please contact your local Supreme representative for more details or email your contact details to lightingdesigns@supreme.co.uk and we will be in touch.

Emergency UFO Dimmable LED Highbays



- IP20
- Lumens per Watt: 130
- Beam Angle: 120°*
- Colour Temperature: 5700K
- Wide Input Voltage: 100 - 277V
- Power Factor: 0.93
- Working Temp: -30°C to +50°C
- CRI - RA80
- 50,000 Hours
- Dimmable
- Flicker Free
- Aluminium Heat Sync
- Samsung SMD LED Chips
- Lifud Driver
- Built in Potentiometer to control Power and Lumens

* Approximate Measurement



Fully tested and certified by LIA LABS

CODE	DESCRIPTION	CASE QTY	BARCODE
S16663	UFO Dimmable High Bay - 100w Emergency	1	5050028223016
S16664	UFO Dimmable High Bay - 150w Emergency	1	5050028223023
S16665	UFO Dimmable High Bay - 200w Emergency	1	5050028223030
S15453	UFO High Bay - Reflector 60°	20	5050028209263
S15454	UFO High Bay - Reflector 90°	20	5050028209270
S15455	UFO High Bay - IP65 Sensor	10	5050028209287
S15456	UFO High Bay - Bracket	10	5050028209294

Case Qty as Reference - Product Can Be Ordered in Single Units

FREE lighting Design Service Available

Please contact your local Supreme representative for more details or email your contact details to lightingdesigns@supreme.co.uk and we will be in touch.

POWERMASTER

LINKABLE - IP44 10 LIGHT LED OUTDOOR STRING

Available
Quarter 4
2020

- 10 x 2W LED (20W Total)
- Replaceable Lamps (Supplied)
- Total Length: 9 Metre *
- Lead Wire: 3 Metre *
- Lamp Spacing: 0.65 Metre *
- Cable Type: H05VV-F 2x0.75mm²
- Lampholders: ES/E27
- Hanging Head Design
- Voltage: 220-240v
- LED Type: Filament Style
- Kelvin: Warm White 2700k
- Linkable: Up to 5 Sets
- Outdoor Use: IP44
- Lamp Life: 15,000 Hrs
- EN62471 Approved

* Approximate measurement.



S-CODE	DESCRIPTION	CASE QTY	BARCODE
S17286	10 Light LED String	8	5050028237822

Case Qty as Reference - Product Can Be Ordered in Single Units

FREE lighting Design
Service Available

Please contact your local Supreme representative for more details or email your contact details to lightingdesigns@supreme.co.uk and we will be in touch.

EVEREADY®

NEW

100, 150 & 200W LED FLOODLIGHTS

FEATURES

- Lumens Per Watt - 80
- IP Rating - IP65
- Voltage: 220-240v
- Die-Cast Aluminium Body
- Stainless Steel Bracket
- Tempered Glass
- Working temp: -20 to +40 degrees
- IK06
- PF - >0.9
- Lead Cable - 30cm
- Beam Angle - 110° Degree
- LED Chips - SMD 2835
- 3 Year Guarantee.

Cool White - 4,000K
Product Colour Temperature



Code	Product Description	Outer Qty
S16825	Eveready LED Floodlight - 100W	10
S16826	Eveready LED Floodlight - 150W	6
S16827	Eveready LED Floodlight - 200W	4

Case Qty As Reference - Product Can Be Ordered in Single Units





SUPREME

I M P O R T S

S13452 Q-BATTERY BROCHURE



5 050028 161486

ONLINE BENEFITS

- Quick Order with CSV Upload
 - Full Order History at Your Fingertips
 - Exclusive Look at NEW & Upcoming Products
- Read our Privacy Policy - supreme.co.uk/privacy-policy

Telephone: **0161 872 5151** Fax: **0161 872 5454** Email: sales@supreme.co.uk
Copyright Supreme Imports 2018. All Rights Reserved.